

PADUA
INNOVATING PERFECTION

paduaceramics.com

PADUA

MONZA
INSPIRED BY STONE



MONZA
COLLECTION OVERVIEW



INNOVATING
VIA
THINKING
PERFECTLY
PERFECT
PERFECT

INNOVATING
PERFECTION




We strongly believe that innovation is the leading way for constantly evolve the idea of perfection. That's why we are always at the forefront in adopting latest generation technologies and promoting continuous R&D activities to create surfaces that embody the highest levels of aesthetic refinement and technical performance. Faithful to the mission to improve people's quality of life by focusing on the perfect balance between beauty and functionality.

OUR PILLARS

The visual identity expands and completes with a highly flexible and modular design system that draws on further iconographic elements linked to the historical and cultural uniqueness of the city of Padua to express the main values of the brand.



INSPIRED BY NATURE



HUMAN-CENTERED



FUELED BY INNOVATION



DRIVEN BY TECHNOLOGY



MOVED BY AESTHETICS



SERVICE ORIENTED



COLLECTION OVERVIEW

Monza - Inspired by stone


There is no denying the grandeur of stone. Be inspired by our collection of stone designs, exclusively created to bring elegance and beauty to your home.




MONZA

MONZA is a mix of two very different materials, but at the same time modern and precious. The Italian marble Grigo Soveraia, with a very gritty and decisive character, merges with the timeless Spanish cobblestone coming from the warm Andalusia. The stony background conveys the idea of strength and tranquility, the veins of the marble give light, shades and personality to the project while the pebble gives color and embellishes your floor thanks to its beautiful details.

DECORS



Hexagon
26.5x30.5cm



Windmill
30x30cm




Arrowhead
40.4x35.6cm



Chevron
26x7.3cm



Subway
30x7.5cm




Pencil Edge Bullnose
40x60cm
2cm

SURFACES

In&out Matt, Lappato, External


COLORS



CLOUD



STORM



SOLA




WIND




COAL

SIZES



THICKNESS



1cm



2cm

COLLECTION

CLOUD



STORM




SOLA



WIND



COAL





CLOUD







FLOOR: CLOUD 120x120cm

MONZA
INSPIRED BY STONE



FLOOR: CLOUD 120x120cm



STORM



WALL/FLOOR: STORM 60x120cm



FLOOR: STORM 120x120cm



FLOOR: STORM 60x60cm

MONZA
INSPIRED BY STONE



WALL: STORM 30x60cm FLOOR: STORM 30x30cm



MONZA

INSPIRED BY STONE



FLOOR: STORM 60x60cm



SOLA



WALL: SOLA 30x60cm

MONZA

INSPIRED BY STONE



Pencil Edge Bullnose
40x60cm
2cm



FLOOR: SOLA 60x60cm



FLOOR: SOLA 60x60cm 2CM PAVER



MONZA
INSPIRED BY STONE







WALL: WIND 10x60cm 15x60cm 20x60cm 30x60cm FLOOR: WIND 60x60cm



FLOOR: WIND 60x120cm

MONZA
INSPIRED BY STONE







FLOOR: COAL 60x60cm



FLOOR: COAL 60x120cm

MONZA
INSPIRED BY STONE



INNOVATING PERFECTION

TECHNICAL SPECIFICATIONS

| TECHNICAL CHARACTERISTIC | STANDARD TEST METHOD | PRESCRIBED VALUES | PADUA VALUES INOUT MATT FINISH | PADUA VALUES OUT 2.0 |
|---|--------------------------------------|-------------------|--------------------------------|----------------------|
| MEASUREMENT & SURFACE APPEARANCE | | | | |
| LENGTH | EN ISO 10545-2:2018 | ± 0.3% | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| WIDTH | | ± 1.0mm | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| THICKNESS | EN ISO 10545-2:2018 | ± 5% | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| STRAIGHTNESS OF SIDES | EN ISO 10545-2:2018 | ± 0.3% | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| RECTANGULARITY | EN ISO 10545-2:2018 | ± 0.3% | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| SURFACE FLATNESS | EN ISO 10545-2:2018 | ± 0.4% | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| | | ± 1.8mm | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| PHYSICAL PROPERTIES | | | | |
| WATER ABSORPTION | EN ISO 10543-3:2018 | $E_w \leq 0.5\%$ | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| BREAKING STRENGTH | EN ISO 10545-4:2019 | $\geq 1300N$ | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| MODULUS OF RUPTURE | EN ISO 10545-4:2019 | $\geq 35N/mm^2$ | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| CHEMICAL PROPERTIES | | | | |
| RESISTANCE TO STAINING | AS 4459.14-1999 | MINIMUM CLASS 3 | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| RESISTANCE TO CHEMICALS | EN ISO 10545-13:2016 | MINIMUM B | CONFORM ACCORDING TO | CONFORM ACCORDING TO |
| SLIP RESISTANCE | | | | |
| WET PENDULUM TEST, SLIDER 96 | AS 4586 -2013/Amdt 1-2017 Appendix A | — | P4 | P5 |
| SHOD RAMP TEST | DIN EN 16165: 2023 Annex B | — | R10 | R12 |



Harmonious, meticulously detailed surfaces with impressive technical and aesthetic properties: PADUA designs floor and wall coverings, not tiles.

PACKING SPECIFICATIONS

| SERIES | SIZES | PCS/CTN | M ² /CTN | M ² /PLT | CTN/PLT | KG/PLT |
|--------------|--------------------------------|---------|---------------------|---------------------|---------|--------|
| MONZA | 120x120cm | 2 | 2.88 | 86.4 | 30 | 1764 |
| | 90x90cm | 2 | 1.62 | 64.8 | 40 | 1520 |
| | 60x120cm | 2 | 1.44 | 86.4 | 60 | 2070 |
| | 60x60cm | 4 | 1.44 | 57.6 | 40 | 1240 |
| | 30x60cm | 8 | 1.44 | 57.6 | 40 | 1240 |
| | 30x30cm | 11 | 0.99 | 55.44 | 56 | 1232 |
| | 60x60x2cm Paver | 2 | 0.72 | 28.8 | 40 | 1280 |
| | 40x60x2cm Pencil Edge Bullnose | 2 | 0.48 | 30.72 | 60 | 1440 |

